

Receipt



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application

Inventor(s): Kreimer et al.
SC/Serial No.: 09/925,189
Confirm. No.: 5291
Filed: August 8, 2001
Title: AMPLIFICATION OF ANALYTE
DETECTION WITH PASSIVATED
ENHANCING SURFACES HAVING
RECEPTORS

PATENT APPLICATION

Art Unit: 1641
Examiner: Unknown

Customer No. 23910

TECH CENTER 1600/2900

AUG 22 2002

RECEIVED

REQUEST FOR CORRECTION OF FILING RECEIPT

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

In the Filing Receipt received by Applicants in the above-identified patent application, the U.S. Patent and Trademark Office listed in error the title as follows:

"Amplification of Analyte Detection by Substrates Having Particle Structures with ~~Receptors~~"

Please amend the title to read as follows:

-- Amplification of Analyte Detection with Passivated Enhancing Structures Having Receptors --

A copy of the Filing Receipt is attached, with the correction marked thereon.

There is no fee due with this correction.

Respectfully submitted,

Date:

July 23, 2002

By:

D. Benjamin Borson
D. Benjamin Borson, Ph.D.
Reg. No. 42,349

FLIESLER, DUBB, MEYER & LOVEJOY LLP
Four Embarcadero Center, Suite 400
San Francisco, California 94111-4156
Telephone: (415) 362-3800

BEST AVAILABLE COPY



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING DATE	GRP ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO.	DRAWINGS	TOT CLAIMS	IND CLAIMS
09/925,189 ✓	08/08/2001 ✓	1641	836	ARBS1002US3 SRM/DBB	✓ 37	44 ✓	8 ✓

CONFIRMATION NO. 5291 ✓

23910
FLIESLER DUBB MEYER & LOVEJOY, LLP
FOUR EMBARCADERO CENTER
SUITE 400
SAN FRANCISCO, CA 94111

UPDATED FILING RECEIPT



OC000000007805794

RECEIVED

APR 08 2002

FLIESLER DUBB
MEYER & LOVEJOY

Date Mailed: 04/05/2002

Receipt is acknowledged of this nonprovisional Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Customer Service Center. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

David I. Kreimer, Berkeley, CA; ✓
Lev Ginzburg, Fremont, CA;
Oleg A. Yevin, Walnut Creek, CA;

RECEIVED

AUG 22 2002

TECH CENTER 1600/2900

Domestic Priority data as claimed by applicant

THIS APPLICATION IS A CIP OF 09/815,909 03/23/2001 ✓
AND A CIP OF 09/670,453 09/26/2000
WHICH CLAIMS BENEFIT OF 60/156,195 09/27/1999

Foreign Applications

If Required, Foreign Filing License Granted 09/06/2001 ✓

Projected Publication Date: 07/18/2002 ✓

Non-Publication Request: No ✓

Early Publication Request: No ✓

** SMALL ENTITY ** ✓

Title

Amplification of analyte detection by substrates having particle structures with receptors
with passivated enhancing structures
having receptors. ✓Fliesler, Dubb, Meyer & Lovejoy
File ARBS - 01002 US3
Action Item: Rev. Publication Date
Date Due: July 18, 2002
Critical Date: July 18, 2002
Attorney Path: SRM/DBB
Initiated By: [Signature]
Validated By: [Signature] Remond

BEST AVAILABLE COPY



UNITED STATES PATENT AND TRADEMARK OFFICE

1600
COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, DC 20231
www.uspto.gov

APPLICATION NUMBER	FILING DATE	FIRST NAMED APPLICANT	ATTY. DOCKET NO./TITLE
09/925,189	08/08/2001	David I. Kreimer	AKBS1302US3 SRM/DBB

FILE COPY

23910
FLIESLER DUBB MEYER & LOVEJOY, LLP
FOUR EMBARCADERO CENTER
SUITE 400
SAN FRANCISCO, CA 94111

CONFIRMATION NO. 5291



OC000000008634865

Date Mailed: 08/15/2002

RESPONSE TO REQUEST FOR CORRECTED FILING RECEIPT

Title of Invention

In response to your request for a corrected Filing Receipt, the Office cannot comply with your request because:

- ☐ The articles such as "a," "an", and "the" are not included as the first words in the title of an application. They are considered to be unnecessary to the understanding of the title.
- ☐ The words "new," "improved," "improvement of," "improvement in", or "improvement relating to" are not included as the first words in the title of an application because a patent application is, by nature, a new idea or improvement. See MPEP 606.
- ☐ The title may be truncated if it consists of more than 500 characters (letters and spaces combined).
- ☐ Superscript and subscript are not possible. These characters will appear on the same line.
- ☐ The title appears on the filing receipt in sentence case for publication in the Annual Index of Patents.
- ☒ The title of the invention was captured as provided by applicant on the first page of the specification. An amendment is needed to make this change.

Nepa Karopas
Customer Service Center
Office of Initial Patent Examination
(703) 308-1202

BEST AVAILABLE COPY

TECH CENTER 1600

AUG 22 2002

RECEIVED